









### G33F

Check out the new G33 line up. G33F is the newly revised ICS G33 with extremely lightweight folding stock.







### G33 SFS

G33 with SFS (Situation Flexible Stock) has not only stock folding design, but also the stock pad of 4 adjustable lengths, and ambidextrous QD sling swivel mount on both sides.







## Handguard

The unique tactical handguard on ICS G33 with additional 1913 Picatinny rail on 12'o clock position to carry more gadgets or accessories, and griper texture for holding fast in action. The ventilation system assures the battery runs properly as well to maximize the performance of ICS G33.

















# Charging Handle

The ambidextrous charging handle in the battlefield is another important feature for battlers out there. The ICS G33 made with this advantageous feature on the newly developed AEG for adjusting Hop-Up.







### Ambi-Fire Selector

In the urban CQB environments, shooter needs to be prepared for all conditions and situations. Therefore, ambidextrous interface on CQB weapons is critical. ICS builds the G33 of ambidextrous fire selector on both side for action agility and task accomplishment.





### **Ergonomics Pistol Grip**

Texture pistol grip makes more contact surface for players to hold fast and control the AEG in action.









### Magazine Release Mechanism

ICS G33 equips the magazine release bottom on the side of receiver; users who are used to AR platform will also favor the magazine release lever by the ambidextrous concept.













# T Magazine

300-round high capacity magazine provides players full firepower. The both side windows designed is easy to review the remaining BB pellets inside.









# Compatible With Standard M4 Magazine

The ICS G33 accommodates M4 compatible magazines favoring most players choice and with a variety of magazine selection from the current availability.











# Rear Sight

The adjust knob on the rear sight is equipped, and so is a notch on ring sight; therefore, players can engage dual range of target through the notch on the ring sight.









# Sling Swivel

The sling swivel is made of steel and the holes can be adapted with two types of common sling available from the market.











# G33F Folding Stock

The best upgrade stock for ICS G33. The tactical design with classic outline. Made by nylon fiber extremely durable construction and comfortable rubberized butt pad. Stock can be easily folded in by pulling.





### G33 SFS Custom Stock

For the urban combat situation, SFS stock has folding design, 4-length adjustable stock pad, 3-height adjustable cheek rest and Q.D. sling mount on each side.













### G33 Gearbox

ICS G33 adapts GIII gearbox, the components insides the gearbox can be compatible with most of the upgrade parts in the market.





G33 Air Nozzle

O-ring inside the air nozzle for better air seal.









### Piston

G33 piston is the piston with high impact-durability.



### Turbo 3000 High Torque Motor

Turbo 3000 Motor is featuring super torque power and long-lasting eddiciency.



## M120 Upgrade Spring

M120 Spring is the perfect addition to AEG for high speed upgrades.







## One piece HOP-UP set

One piece HOP-UP set lets the BBs be fed smoothly, and avoids feeding problem from HOP-UP misplacement.





# **Barrel Specifications**

The barrel is fully anodized for durability and precision. Length 263mm with inner diameter 6.08mm.







### **Specifications**

• Gun Length: G33F 720mm (795mm)

G33 746mm (795mm)

Barrel Lengt: 263mm

Weight: G33F 2400g / G33 2550 g

Muzzle Velocity: 120 m/s (395fps)

■ Battery Type: Li-Po 11.1V 1000mAh

Magazine: MA-186 T Hi-cap magazine

Mag. Capacity: 300 rounds

Motor: Turbo 3000 (Short Pin)

Spring: M120

Material: Engineering plastic

- 1. Battery type is recommended, not included.
- 2. For AEG with M100 spring, it is recommended to use voltage 74V Li-Po or 96V Ni-Mh batteries only.
- 3. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.

#### **G33F SERIES**

ICS-333



#### **IMT-333-1**



#### IMD-333-1



### **G33 SERIES**

ICS-233



ICS-234



#### ICS-235





